

The Commonwealth of Massachusetts **Division of Professional Licensure**239 Causeway St., Suite 500, Boston MA 02114

Board of Registration of Pharmacy

Self-Inspection Form for Pharmacy License Renewal – To Be Completed Prior To Approval for Manager Change and within 30 days of a Relocation, Transfer of Ownership and within 30 days of opening of a New Pharmacy/Pharmacy Department

Pharmacy Name:			Store Number	r:
Address:				
Telephone Number:		Fax Nu	ımber:	
Pharmacy Controlle	ed Substance Re	gistration # and F	Expiration Date:	
Pharmacy DEA # an	nd Expiration D	ate:		
Pharmacy Hours:	Daily	Saturday	Sunda	у
Pharmacist Roster	Name		License #	Exp. Date
Pharmacist in				
Charge				
Staff Pharmacist				
				l
Computer Software	Name			
Helpdesk Phone Num				
T	<u> </u>			
Supplier Information substances	n - including the	supplier name and	l toll free number	of controlled
1) Name:			Phone:	

Revised 12/21/1999

2)	Name: Phone:	
	Name: Phone:	
IN	STRUCTIONS: Place a Check Next to Those in Compliance <i>ONLY</i>	
	Display Requirements:	
a.	The pharmacy permit [247CMR 6.02(3)(a)]	
b.	The pharmacy's Massachusetts controlled substance registration [247 CMR 6.02(3)(b)]	
c.	The pharmacy's U.S. Drug Enforcement Administration controlled substance registration [247 CMR 6.02(3)(c)]	
d.	Whenever applicable, the pharmacy certificate of fitness [247 CMR 6.02(3)(d)]	
e.	The name of the pharmacist Manager of Record located at the main entrance of the pharmacy or pharmacy department on a sign that is not less than one inch high [247 CMR 6.02(7)]	
f.	A reasonably sized sign affixed to the main entrance of the business in an easily observable area identifying the presence of a pharmacy of pharmacy department [247 CMR 6.02(5)]	
g.	The hours of operation at all consumer entrances to the pharmacy and in the case of a pharmacy department, hours shall also be posted at consumer entrances to the retail store and at the pharmacy department [247 CMR 6.02(8)(a)]	
h.	A sign of not less than 11 inches in height and 14 inches in width informing customers of their rights to counseling by a pharmacist. Said sign shall be placed at each area where prescriptions are dispensed including drive-through windows. Said sign shall read: "Dear patients: You have the right to know about the proper use of your medication and its effects. If you need more information please ask the pharmacist." [247 CMR 9.07(3)]	
i.	Name tags and job title shall be worn by personnel including job title [247 CMR 8.01(11) and 247 CMR 8.02(9)]	
j.	Each full time pharmacist's certificate of registration to practice pharmacy and the original or copy of the current wallet registration card [247 CMR 6.02(9)(b)]	
CC	OMMENTS AND CORRECTIVE MEASURES:	

a. The most recent edition of the Massachusetts List of Interchangeable Drugs (MLID), including the Orange Book, Additional List, Exception List, and the latest supplements [247 CMR 6.01(6)(a)1]: b. A current copy of one of the following: [247 CMR 6.01(6)(a)2]: b. Facts and Comparisons: * comparisons: * linited States Pharmacopoeia/Dispensing Information (USP/DI), Volumes I and II;* The American Hospital Formulary Service Drug Information; or* American Medical Association Drug Evaluations* *electronic versions must be updated quarterly The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES: 3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(d)] COMMENTS AND CORRECTIVE MEASURES: COMMENTS AND CORRECTIVE MEASURES:	2.	The following references are to be maintained on the pharmacy premises:	
latest supplements [247 CMR 6.01(6)(a)1] b. A current copy of <i>one</i> of the following: [247 CMR 6.01(6)(a)2]: > Facts and Comparisons; * > United States Pharmacopoeia/Dispensing Information (USP/DI), Volumes I and II;* > The American Hospital Formulary Service Drug Information; or* > American Medical Association Drug Evaluations* *electronic versions must be updated quarterly c. The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES: 3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]	a.	The most recent edition of the Massachusetts List of Interchangeable Drugs	
b. A current copy of <i>one</i> of the following: [247 CMR 6.01(6)(a)2]: > Facts and Comparisons; * > United States Pharmacopoeia/Dispensing Information (USP/DI), Volumes I and II:* > The American Hospital Formulary Service Drug Information; or* > American Medical Association Drug Evaluations* *electronic versions must be updated quarterly c. The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES: 3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]		(MLID), including the Orange Book, Additional List, Exception List, and the	
 ➢ Facts and Comparisons; * ➢ United States Pharmacopoeia/Dispensing Information (USP/DI), Volumes I and II.* ➢ The American Hospital Formulary Service Drug Information; or* ➢ American Medical Association Drug Evaluations* *electronic versions must be updated quarterly c. The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES:		latest supplements [247 CMR 6.01(6)(a)1]	
 ➤ United States Pharmacopoeia/Dispensing Information (USP/DI), Volumes I and II;* ➤ The American Hospital Formulary Service Drug Information; or* ➤ American Medical Association Drug Evaluations* *electronic versions must be updated quarterly C. The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES: A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)] 	b.	A current copy of <i>one</i> of the following: [247 CMR 6.01(6)(a)2]:	
and II;* The American Hospital Formulary Service Drug Information; or* American Medical Association Drug Evaluations* *electronic versions must be updated quarterly The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES: 3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]		Facts and Comparisons; *	
* American Medical Association Drug Evaluations* *electronic versions must be updated quarterly c. The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES: 3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]			
electronic versions must be updated quarterly c. The most recent copy of Board Regulations, 247 CMR 1.00 through 13.00 [247 CMR 6.01(6)(a)3] COMMENTS AND CORRECTIVE MEASURES: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]		➤ The American Hospital Formulary Service Drug Information; or	
COMMENTS AND CORRECTIVE MEASURES: 3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]		American Medical Association Drug Evaluations*	
COMMENTS AND CORRECTIVE MEASURES: 3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]		± • •	
3. Equipment and Floor Design/Security Requirements: a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]	c.		
 a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)] 	CC	DMMENTS AND CORRECTIVE MEASURES:	
 a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)] 			
 a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)] 			
 a. A balance capable of accurately weighing quantities as small as 13 milligrams, which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)] 			
which has been tested and sealed annually by the state or local sealer of weights and measures [247 CMR 6.01(6)(a)4] b. The equipment necessary to conduct the practice of pharmacy according to the standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]			
standards set forth by the most current edition of the United States Pharmacopoeia [247 CMR 6.01(6)(a)5] c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]	a.	which has been tested and sealed annually by the state or local sealer of weights	
 c. Appropriate sanitary appliances, including a sink equipped with hot and cold running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)] 	b.	standards set forth by the most current edition of the United States	
running water located near the area where prescriptions are filled [247 CMR 6.01(6)(a)7] d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]	C	1	
 d. An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of prescriptions [247 CMR 6.01(6)(b)] e. A separate working alarm is in place for the pharmacy or pharmacy department which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)] 	С.	running water located near the area where prescriptions are filled [247 CMR	
which is activated when the pharmacy or pharmacy department is closed [247 CMR 6.02(6)(d)] f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]	d.	An area of not less than 300 square feet allowing for pharmacy equipment and supplies and the facilitation of proper preparation and compounding of	
f. A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247 CMR 6.02(6)(e)]	e.	which is activated when the pharmacy or pharmacy department is closed [247	
COMMENTS AND CORRECTIVE MEASURES:	f.	A floor to ceiling barrier is in place that secures the pharmacy department. This barrier is alarmed and locked when the pharmacy department is closed [247	
	CC	OMMENTS AND CORRECTIVE MEASURES:	

4.	Central Intravenous Admixture Service (CIVAS) Requirements:	
a.	In addition to the 300 square feet, as required by 247 CMR 6.01(6)(b), the clean	
	room has a minimum working area of 72 square feet [247 CMR 6.01(6)(c)7]	
b.	The clean room is directly adjacent to the prescription area/department for those	
	applications of construction that were received after September 30, 1996 [247 CMR 6.01(6)(c)7]	
c.	The room is closed on all sides except for a door and opening to allow for material passage [247 CMR 6.01(6)(c)2]	
d.	The room has a laminar flow hood with either vertical or horizontal flow that is certified annually to meet the standards of operation of HEPA (High Energy Particulate Air) filters and pre-filters [247 CMR 6.01(6)(c)3-4]	
e.	The area of the clean room is under continual positive pressure unless the hood is self-venting [247 CMR $6.01(6)(c)6$]	
f.	Date of last certification	
g.	By Whom	
for	All CIVAS Pharmacies should obtain a copy of Board Policy 96.003 "USP Guidelic Clean Room Construction" DMMENTS AND CORRECTIVE MEASURES:	
_		
	Controlled Drug Prescriptions and Records Requirements	
a.	All controlled substances in Schedules II through IV are stored within the	
	prescription area in a securely locked cabinet or dispersed throughout the	
	Schedule VI controlled substances in a manner that obstructs theft or diversion	
1.	of these substances [247 CMR 6.02(6)(a)(c)]	
b.	Controlled substances in Schedule VI are stored within the prescription area or in the clean room if the clean room is directly adjacent to the prescription area [247 CMR 6.02(6)(b)]	
c.	All drug order deliveries containing controlled substances are directly delivered	
	to the pharmacy/ pharmacy department or to a secured area if the pharmacy is	
	closed [247 CMR 6.02(6)(g)]	
d.	An inventory of controlled substances in Schedule II, III, IV and V is taken,	
	based upon federal biennial inventory requirements, which the pharmacist	
	Manager of Record signs and forwards to the board upon commencement and termination of employment [247 CMR 6.07(3)(i)]	
e.	Procedures are in practice for validating questionable purported controlled	
	substance prescriptions to deter the willful and unlawful dispensing of controlled substances [247 CMR 6.07(3)(j)]	
f.	A perpetual inventory is kept by a pharmacist of each controlled substance in	

	Schedule II that the pharmacist has received, dispensed or disposed. This	
g.	inventory is reconciled at least once every 10 days [247 CMR 9.01(14)] DEA 222 forms are compliant with the Code of Federal Regulations 21 CFR	
_	1305.09(e). The blue copy includes the date and quantity of packages received.	
h.	Each line must be filled out completely. Invoices should be readily retrievable. The power of attorney, authorizing an individual to sign a DEA 222 form,	
	present within the pharmacy.	
i.	A report is transmitted to the Department of Public Health or its agent containing the following information about Schedule II controlled substances dispensed: the	
	prescription number, the patient identifier, pharmacy NABP number, date the	
	controlled substance was dispensed, quantity dispensed, NDC number of the controlled substance dispensed, estimated days supply and the prescriber's DEA	
	number. The report is transmitted no later than 15 days following the last day of	
	the preceding month in which the prescription was dispensed [247 CMR 5.04]	
C	OMMENTS AND CORRECTIVE MEASURES:	
		
6. a.	Prescription Files Maintenance Requirements: Prescriptions for controlled substances in Schedule II are segregated from all	
a.	other records and maintained in a separate file identified as such [247 CMR	
	9.05(1)]	
b.	Prescriptions for controlled substances in Schedules III, IV and V and maintained in a separate file identified as such [247 CMR 9.05(2)]	
c.	Prescriptions for Schedule VI Controlled Substances, prescriptions for non-	
	controlled substances and prescriptions for syringes and instruments adaptable to hypodermic administration are segregated from all other records and maintained	
	together in a file identified as such [247 CMR 9.05(3)]	
C(OMMENTS AND CORRECTIVE MEASURES:	
	SIMILE VIOLENCE CONCLUENCE IN EL ROCICES.	
		
7.	Electronically Transmitted Prescription Requirements:	
a.	The receiving facsimile machine is located within the pharmacy or pharmacy department [247 CMR 5.02(1)(a)1]	
	· · · · · · · · · · · · · · · · · · ·	

b.	The prescriber's signature is on the face of the prescription order [247 CMR 5.02(1)(a)3]	
c.	The prescription or drug order contains the identification number of the sending facsimile machine [247 CMR 5.02(1)(a)1]	
d.	The prescription or drug order is marked "Electronically Transmitted Prescription" by the receiving pharmacy either handwritten or stamped [247 CMR 5.02(1)(a)6]	
e.	A prescription for a non-emergency Schedule II controlled substance may be prepared in advance, however, before dispensing the original signed prescription must be presented to the pharmacist and compared to the prepared prescription before being released to the patient, except for long term care, home infusion or certified hospice settings	
f.	There is a printed copy of the prescription or drug order electronically transmitted via facsimile, this printed copy shall be of non-fading legibility and shall comply with state and federal record keeping requirements [247 CMR 5.02(1)(a)4]	
CO	DMMENTS AND CORRECTIVE MEASURES:	
	Orally or Electronically Transmitted Schedule II Controlled Substances for nergency Dispensing: The prescription is marked "Authorization for Emergency Dispensing" [247 CMR 5.03(3)] The pharmacist verifies that the Schedule II controlled substance quantity prescribes and dispensed is limited to the amount adequate to treat the patient during the emergency period [247 CMR 5.03(2)(a)] A written prescription is postmarked to the pharmacy within seven days after authorization of the emergency quantity which is then attached to the original	
	order	
C(OMMENTS AND CORRECTIVE MEASURES:	
		
		·
9	Transferring Prescriptions Requirements:	
a.	Transfers of Schedules III, IV and V controlled substances are done on a one-time basis [247 CMR 9.02(4)]	

b. c.	transfer and name of pharmacist and pharmacy is kept for all Schedule III through VI controlled substances {247 CMR 9.02(2)(a)3]	
CC	OMMENTS AND CORRECTIVE MEASURES:	
		_
		_
	A pharmacist or pharmacist designee obtains and maintains a confidential record for all patients for whom prescriptions are dispensed including the name, address, telephone number, date of birth or age and gender of patient, the patients history including known allergies and drug reactions and a comprehensive list of medications [247 CMR 9.07(1)(a)]	
b.	A prospective drug utilization review (DUR) is conducted by the pharmacist before each new prescription is dispensed or delivered to a patient or a person acting on behalf of the patient [247 CMR 9.07(2)]	
c.	A pharmacist or pharmacist designee offers the services of the pharmacist to all persons presenting new prescriptions for filling [247 CMR 9.07(3)(a)]	
d.	Counseling is made by a pharmacist, or a pharmacy intern under the direct supervision of the pharmacist [247 CMR 9.07(3)(f)]	
e.		

MEASURES:	
11. Code of Professional Conduct:	
a. The pharmacist Manager of Record is responsible for the establishment, monitoring and enforcement of policies and procedures that encourage and maintain the standards of professional practice [247 CMR 6.07(3)(d-e)]	
b. The pharmacist Manager of Record maintains adequate staff in the pharmacy in order to ensure that the practice of pharmacy be carried out in accordance with Board regulations [247 CMR 6.07(3)(f)]	
c. The pharmacist Manager of Record is responsible for records of current pharmacy technicians duties delegated to pharmacy technicians and the scope of responsibility of the pharmacy technician [274 CMR 8.02(6)]	
d. The pharmacist Manager of Record and the pharmacist on duty are responsible for pharmacy security and control access to the pharmacy area [247 CMR 6.02(6)(f)]	
e. The pharmacist has a corresponding responsibility to ensure that prescriptions are dispensed by a practitioner for a legitimate use in the usual course of professional practice [MGL c94C: section 19(a)]	
COMMENTS AND CORRECTIVE MEASURES:	
Certification: I,	ge. I y the site,
Signature:Date:	

DO NOT MAIL COMPLETED SELF-INSPECTION FORM

<u>Upon completion, retain this form with your controlled substance perpetual inventory.</u>